



Colonoscopy Instructions

Here's what we're giving you today:

1. Colonoscopy Preparation Brochure/Location Form
2. Colonoscopy Prep Instructions
3. Clear Liquid Diet
4. Colonoscopy Insurance FAQs (Information about coding your bill)
5. FAQ Colonoscopy (Frequently Asked Questions about your colonoscopy)

Please visit our website at www.connecticutgi.org to review the following documents:

1. Form entitled "Your Rights"
2. Form entitled "Informed Consent"
3. Form entitled "Financial Policy"
4. Form entitled "Advanced Directives"
5. CTGI Privacy Notice
6. Directions to the facility



Your procedure is scheduled for:

DATE: _____

ARRIVAL TIME: _____

*The arrival time is subject to change. If you need to change or cancel your appointment, please give as much notice as possible so someone else can be scheduled.

LOCATION: Coastal Digestive Care Center, LLC
234A Bank Street
4th Floor
New London, CT 06320
Telephone: 860-447-0402

PREPARATION: Follow the preparation instructions given to you by your doctor's office.

*Please inform staff immediately if you are taking blood thinners such as COUMADIN (WARFARIN), PLAVIX, PLETAL, EFFIENT, AGGRENOX, PRADAXA, SAVAYSA, XARELTO, ELIQUIS, BRILINTA

Diabetic Patients:

- If you are diabetic, please inform the staff if you are taking insulin or oral medication to treat your diabetes.
- If you take insulin, please contact the prescribing physician for instructions.
- If you take oral DIABETIC medications, you should not take your pills the night before or in the morning prior to your procedure.

10 Days before your procedure:

- Stop iron supplements

At least 7 days before your procedure:

- Read all prep instructions and purchase any necessary prep products from your pharmacy.
- Verify instructions for stopping your blood thinning medications with the office.
- Stop herbal supplements.
- No seeds, nuts or quinoa.
- Arrange for a ride home after your procedure.

Day of Procedure:

- YOU MUST NOT HAVE ANYTHING BY MOUTH FOR 4 HOURS PRIOR TO YOUR PROCEDURE INCLUDING GUM AND HARD CANDIES. HOWEVER, if you take medication for your BLOOD PRESSURE or Heart (and you normally take them in the morning), please take them with a SIP of water at least 2 hours prior to your arrival time.
- If you are scheduled at one of the Endoscopy Centers, plan on a 1 ½ hour stay. If you are scheduled at the Hospital plan on a 2 ½ hour stay.
- It is critical that you arrive on time. Every effort will be made to keep your appointment at the scheduled time, but in medicine, unexpected delays and emergencies may occur. We give each patient the attention needed for his or her procedure.
- Bring your insurance cards and a photo ID.
- Bring your insurance co-pay/deductible. If your insurance has changed since your appointment was scheduled, please contact us immediately. Many insurance carriers (not Medicare) and managed care organizations require preauthorization or precertification. To obtain coverage for these procedures, we recommend you contact your insurance company. The phone number is usually on the back of your insurance card.
- Dress casually and comfortably as you will be required to change into an examination gown. Leave jewelry and other valuable items at home.

Transportation:

- DO NOT DRIVE YOURSELF. Arrange for transportation home before you arrive for your appointment. Since you will receive sedation, you will not be permitted to drive home.
- Public transportation (cab, limo, bus, Uber) is not acceptable.
- Your examination will be cancelled if you have not arranged transportation home.

If you have any questions regarding this procedure, please call: _____

Phone: _____ Ext _____



For additional information, please visit our website at www.connecticutgi.org

Green Procedure Preparation MOVI

Follow these instructions. **Do NOT follow the instructions on the box.**

***The prescription for your prep has been sent to your pharmacy electronically. Please pick up within a week.**

- **You must be on a clear liquid diet 30 hours before your procedure (please review the clear liquid diet sheet).**
- **You must not have anything by mouth for 4 hours prior to your procedure, INCLUDING gum and hard candies.**

NOTE: Failure to properly cleanse your colon may result in a cancelled procedure.

The American College of Gastroenterologists recommends splitting the preparation for optimal visualization of the colon and detection of small polyps and cancer.

The Movi Prep carton contains 4 pouches and a disposable container for mixing. There are 2 pouches labeled "A" and 2 pouches labeled "B". You must complete the entire prep to ensure the most effective cleansing.

THE DAY BEFORE YOUR COLONOSCOPY

CLEAR LIQUID DIET

- **Between 6 - 7 PM the evening before**, empty 1 pouch "A" and 1 pouch "B" into the disposable container.
- Add lukewarm drinking water to the top line of the container. Mix to dissolve. (If preferred, you may mix the solutions ahead of time and refrigerate prior to drinking).
- The Movi Prep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approximately 8 oz) until the full liter is complete.
- Drink 16 oz of the clear liquid of your choice.

5 HOURS BEFORE PROCEDURE

- **5 hours before your scheduled procedure time**, repeat the above steps.
- *Diarrhea may continue for several hours after you finish drinking the solution*



For additional information, please visit our website at www.connecticutgi.org

COLONOSCOPY CLEAR LIQUID DIET

NO SOLID FOOD

*** *You must be on a clear liquid diet 30 hours before your procedure* ***

****THERE IS NOTHING BY MOUTH 4 HOURS PRIOR TO YOUR PROCEDURE INCLUDING HARD CANDY AND CHEWING GUM****

****Avoid all dairy products and anything RED OR PURPLE.**

CLEAR LIQUIDS INCLUDE:

- **Soft drinks – regular or diet sodas (orange, ginger ale, cola, Sprite, 7-Up, etc). Ginger Ale may help to settle the stomach.**
- **Smart Water, sport or power drinks with electrolytes may be helpful. You may wish to dilute to decrease sweetness.**
- **Strained fruit juices without pulp (apple, white grape, iced tea) NO ORANGE JUICE!**
- **Water, clear flavored waters or seltzer (NO red or purple!)**
- **Black tea or coffee – NO milk or non-dairy creamer. You may have any type of sugar or sweetener.**
- **Fat free chicken or beef broth (prefer low sodium)**
- **Hard candies (Lifesavers, etc.)**
- **Plain Jello – NO fruits or toppings**
- **Popsicles, Italian Ice – NO sherbets or fruit bars**



Patient Name: _____ Date of Proc: _____ Time: _____
 Facility: _____ Physician: _____
 Scheduler: _____

Colonoscopy CPT __ 45378 __ 45380 w/biopsy

Upper Endoscopy CPT __ 43235 __ 43239
 (Not covered under screening benefits)

Diagnostic/Therapeutic Colonoscopy; Diagnosis: _____

This procedure is usually paid **after your deductible has been met**.
 Colonoscopies following a positive cologuard test are diagnostic. They are not screenings or preventive.

Surveillance Colonoscopy; Diagnosis: _____

____ Z86.010	Personal Hx Colon Polyps	____ Z85.038	Personal Hx Colon Cancer
____ Z83.71	Family Hx Colon Polyps	____ Z80.0	Family Hx Colon Cancer
____ Z87.19	Personal Hx of other digestive diseases		

Many carriers will pay **after your deductible has been met**. Please check with your carrier, giving them the specific codes checked above. This is NOT a screening. CTGI's billing office can give you more information.

Preventive Colonoscopy Screening; Diagnosis: ____ Z12.11

No Signs or Symptoms and No History – This code is not used with any of the above personal or family history codes. The ACS guidelines for screening at age 45 are NOT included for many carriers-please check your plan coverage.

Upper Endoscopy Diagnosis/Indication: _____

This Procedure is done because of signs or symptoms or personal history. It is not a screening procedure. Most carriers process and pay after a deductible has been met.

***Please be aware that if you are scheduled for a combined Colonoscopy/Endoscopy many insurance carriers are now processing the anesthesia as diagnostic regardless of the screening colon code. You may have a balance for anesthesia.**

Who will bill me? You may receive bills from separate entities associated with your procedure, such as the physician, facility, anesthesia, pathologist, and/or laboratory. Connecticut GI, PC can only provide you with information associated with our fees.

How will I know what I will owe? Call your insurance carrier to check your benefits. Coverage for screening, surveillance and diagnostic colonoscopies vary and are specific to your carrier and your plan. Information about your procedure is listed above.

If you have a deductible, limited or no coverage for your procedure, please call our Billing Office to set up payment arrangements prior to your procedure.

Representative's Name: _____ Date: _____
 Call Reference #: _____

Notes from your call:

Can the physician change, add, or delete my diagnosis so that I can be considered a colon screening? No. The patient encounter is documented as a medical record from information you have provided as well as an evaluation and assessment from the physician. It is a legal document that cannot be changed to facilitate better insurance coverage.

Call the CTGI Billing Department at 860-257-4131 with any questions or concerns. They are a great source of information and are happy to help if you are having difficulty understanding your financial obligations. However, it is necessary for you to first call your insurance company and ask the above questions.
 Updated 1/28/2020

Frequently asked questions about colonoscopy and the dreaded prep!

1. Why can't I eat any food the day before the exam?

The clear liquid diet for the 30 hours before the exam is an essential part of the preparation of the colon to make sure that the colon lining can be well seen. Anything that you eat in that period before the exam tends to increase the risk of a poor prep and an exam that will need to be rescheduled and repeated.

TIPS FOR SUCCESS:

-Hydrate well- that means drink something on the list of clear liquids you were given or sent when the test was scheduled (something with calories--not just water) every hour while awake (not all night) because that

-fakes out your stomach so you are not hungry

-avoids any sick/headachy feeling that people get when they haven't eaten

-protects your kidneys

-helps the prep

2. Why do the instructions have me stop nuts, seeds, and less digestible vegetables such as Quinoa 1 week before the exam?

Nuts and seeds are less digestible than other foods and tend to be harder to flush out with the prep. They are also small and tend to block the suction of the colonoscope and can make the test longer and more difficult for your gastroenterologist and often less effective, meaning that some areas can't be seen well. That may cause your doctor to order a repeat exam or an exam earlier than is generally needed. But if you forget to stop these foods 1 week early- call the office to check with your doctor before cancelling or not showing up for the exam.

3. Why do I need to drink part of the prep 5 hours before the test even if this is the middle of the night? Why can't the prep be taken all-at-once the night before the exam?

It is vital for your gastroenterologist to be able to see the colon lining well. The first part of the prep does a fairly good job clearing solid stool from the colon, but overnight a lot of secretions pass from the small intestine down into the colon and can obscure the view. Even though it seems very hard to have to drink part of the prep 5 hours before the exam, it is very important and is part of having a high quality exam.

4. Why do I need to drink so much liquid laxative?

The liquid preps that we generally use have been studied extensively for their effectiveness at clearing the colon of stool. Surprisingly, the safest preps for people with any heart or kidney disease are those with larger volumes- 2-4 liters taken twice. They include Golytely, Colyte, Nulytely and PEG 3350 solutions. Your gastroenterologist or nurse practitioner will help you decide which prep is best for you.

5. I have heard that there are pill alternatives and smaller volume preps- why can't I use these?

The pill prep is many pills (32 pills) and contains a laxative called sodium phosphate which can cause problems with your kidneys. Other small volume preps are generally not used because they are less effective or may have health consequences especially in older people or those with heart or kidney problems.

6. What if I get sick or vomit while drinking the prep?

Stop drinking for 20 or 30 minutes and then start again more slowly. Try drinking 3 or 4 oz at a time with a short break in between. If you continue to have vomiting, call the office to speak to the physician on-call.

7. What if I take the laxative and I don't start to have diarrhea?

Some people who tend toward constipation have more trouble with the prep. Usually the laxative starts to work within 3 or 4 hours. If you don't have loose and frequent stools, try a Dulcolax suppository (generic name is Bisacodyl and is available at most drugstores). Insert the suppository in the rectum and you can repeat in 1 hour. If you continue to have problems, call the office to speak to the physician on-call.

8. Why can't I eat or drink on the day of the colonoscopy?

You will be given sedating medication to help you relax and be comfortable during the exam. If food is in your stomach, there is a risk that it will come up your esophagus when you are sleepy. This causes a risk of food or liquid entering your lungs and could cause pneumonia or other life-threatening breathing problems.

9. How long is the test and why do I have to arrive an hour early?

The test itself usually takes 20-30 minutes but you will usually be at the endoscopy center for about 2 hours. When you arrive you will review your history, medication and allergies with the nurse and meet and give consent to the anesthesiologist. You will get an intravenous (IV) line placed and have monitoring equipment attached. After the test you need to wake up fully from anesthesia and be monitored for 30 minutes before it is safe for you to leave the endoscopy center.

10. Why can't I drive myself home after the colonoscopy? Why do I need an adult to accompany me if I use a bus or taxi service?

The sedative you receive for comfort during the exam may make you sleepy or forgetful or affect your reflexes after the exam. You may be uncomfortable after the test and will be tired. Remember, you will have had a night of little sleep before the test. For your safety you should not drive, drink alcohol or operate heavy machinery and an accompanying adult is necessary to make sure you get home safely. If you do not have transportation with an adult, the test will not be done with sedation and will need to be rescheduled.

11. When will I know my results?

After the colonoscopy, your gastroenterologist will speak to you briefly in the recovery area. He or she will tell you what was found and you will receive a written brief report and pictures, if you wish. If biopsies are taken or polyps are removed, the tissue is examined by a pathologist and the final information may not be available for a week. You will be called or receive a letter from our office staff with final results and can always make an appointment in the office to discuss the findings further with your gastroenterologist, PA or nurse practitioner.